



Features such as the Blanket Stitch, Stitch Information Display, and easy conversion to rolled hem make the 1100D
Professional the most advanced and easy-to-use 4-thread serger from Janome.

Foot Pressure Adjustment Dial

JANOME

# Flip Needle System

The needle clamp can be tilted up to ensure easy needle placement. Very easy to reach set screw and insert needles. Also eases needle threading.

# **Adjustable Cutting Width**

Just turn the dial to easily adjust the desired cutting width: from 3.5 to 7.5 mm





# **EZ Upper Knife Release**

Upper knife can be quickly and easily retracted with the push in and turn of a knob.

**EZ View Threading Guide** 



# 1100D

# Professional Serger

# Features

- **Automatic tension** Automatic tension settings take the guesswork out of serging. Select the stitch and the inner mechanism sets the tension for you.
- 2, 3 or 4 thread overlock
- **Sewing speed:** 1300 stitches per minute
- **Foot Pressure** Adjustment Dial
- **Differential Feed**
- **Instant Rolled Hem** No need to change the needle plate for rolled hemming.
- 2-Thread Converter Built-in. No parts to attach or lose.
- **Snap-On Presser Feet**
- Flip Needle System
- **Thread Cutter on Presser Foot Lifter**
- **Optional Attachments** 
  - Cording Guide
  - Elastic Gathering Foot
  - Blind Stitch Foot
  - **Gathering Foot**
  - **Beading Foot**
  - **Auxiliary Thread Guide**

# **JANOME**

©2009 Janome America, Inc. 10 Industrial Ave. Mahwah, NJ 07430





#### **Machine Dimensions**

Machine weight Number of threads Type of needle(s) Maximum speed Spool stand Carrying handle Thread cutter Easy Lay-in Threading **Automatic Tension** Stitch information display Pattern selection **Tension Dial** Tension release lever Rolled hem change over device Cover stitch change over device Disengaging upper knife Adjustable foot pressure Flip Needle System Presser foot Stitch Length adjustment Differential feed adjustment Cutting width adjustment Stitch length Differential feed ratio **Cutting width** Cover stitch Decorative cover stitch Upper looper separation device Lower looper threader Chain looper threader

W380 x H305 x D265 mm 8.6 kg/19 lbs 2, 3, 4 and 5 thread convertible EL705 80/12, 90/14 1,300 spm Aligned spool pin Built-in Yes Yes Yes Info. window Dial Automatic (mechanical type) Yes Yes Yes Yes Yes No Snap on Dial Dial Dial 0.5 to 5.0 mm 0.5 to 2.0 3.5 to 7.5 mm

### W362 x H305 x D265

7.8 kg/17 lbs 2, 3, 4 thread convertible EL705 80/12, 90/14 1,300 spm Aligned spool pin Built-in Yes Yes

Yes Info. window Dial

#### Automatic (mechanical type)

Yes Yes Nο Yes Yes Yes Snap on Dial Dial Dial 0.5 to 5.0 mm 0.5 to 2.0 3.5 to 7.5 mm No No No Yes

No

Yes

## **Included accessories**

**Dust cover** 

Accessory box
Spool holders (L)
Spool caps
Foam pads for spool stand
Thread guide pole
Snap-on thread guide
Tension release clip
Needle threader
Needle set
Screw driver (Allen type)
Tweezers
2-thread converter
Spare upper knife
Wrench for replacing upper knife
Transparent foot for cover stitch
Spreader Device for top cover stitch
Round top cover guide
Sewing table for cover stitch
Waste tray
Cleaning brush
Oil

Optional Accessories Available

Yes
Yes
Yes (1.5 mm)
Yes
Built-in
Yes
Included
Yes
Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes
Yes
Yes
Yes
Yes
No
No
Yes
Yes
Yes (1.5 mm)
Yes
Built-in
No
Yes
No
No
No
No
Included
Yes
Yes
Yes